

KEP 660, 50Hz

ISO 9906 Annexure A

PERFORMANCE CHART


MODEL NAME		RATING			DISCHARGE								
THREE PHASE	STAGE	kW	HP	l/min	0	170	335	500	670	835	1000	1167	1300
				m³/h	0	10.2	20.1	30.1	40.2	50.1	60.0	70.0	78.0

KEP 660 - 01	1	2.20	3.00	HEAD IN Mtrs.	14.5	14	13	12	11	9	8	6	4
KEP 660 - 02	2	4.00	5.50		29	28	27	24	21	18	16	12	8
KEP 660 - 03	3	5.50	7.50		43	42	40	36	32	28	24	18	13
KEP 660 - 04	4	7.50	10.00		57	56	53	48	42	37	32	25	17
KEP 660 - 05	5	9.30	12.50		72	70	66	60	53	46	40	31	21
KEP 660 - 06	6	11.00	15.00		86	84	80	72	64	55	47	37	25
KEP 660 - 07	7	13.00	17.50		100	98	93	84	74	65	55	43	30
KEP 660 - 08	8	15.00	20.00		115	112	106	96	85	74	63	49	34
KEP 660 - 09	9	18.50	25.00		129	126	120	108	96	83	71	55	38
KEP 660 - 10	10	18.50	25.00		143	140	133	120	106	92	79	61	42
KEP 660 - 11	11	22.00	30.00		158	154	146	133	117	102	87	68	47
KEP 660 - 12	12	22.00	30.00		172	168	159	145	127	111	95	74	51
KEP 660 - 13	13	26.00	35.00		186	182	173	157	138	120	103	80	55
KEP 660 - 14	14	26.00	35.00		201	196	186	169	149	129	111	86	59
KEP 660 - 15	15	26.00	35.00		215	210	199	181	159	139	118	92	64
KEP 660 - 16	16	30.00	40.00		229	224	212	193	170	148	126	98	68
KEP 660 - 17	17	30.00	40.00		244	238	226	205	181	157	134	104	72
KEP 660 - 18	18	37.00	50.00		258	252	239	217	191	166	142	111	76
KEP 660 - 19	19	37.00	50.00		272	266	252	229	202	176	150	117	81
KEP 660 - 20	20	37.00	50.00		287	280	266	241	212	185	158	123	85
KEP 660 - 21	21	37.00	50.00		301	294	279	253	223	194	166	129	89
KEP 660 - 22	22	45.00	60.00		315	308	292	265	234	203	174	135	93
KEP 660 - 24	24	45.00	60.00		344	336	319	289	255	222	190	147	102
KEP 660 - 26	26	55.00	75.00		373	364	345	313	276	240	205	160	110
KEP 660 - 28	28	55.00	75.00		401	392	372	337	297	259	221	172	119
KEP 660 - 30	30	55.00	75.00		430	420	398	362	319	277	237	184	127

KEP 660, 50Hz

ISO 9906 Annexure A


PERFORMANCE CURVES



KEP 660, 50Hz

ISO 9906 Annexure A

Dimensions & Weights



Model Name	Specification			
	*D (mm)	L (mm)	Pump Weight Kg.	Weight (Incl. pkg.) Kg.
KEP 660 - 01	147	400	10	12
KEP 660 - 02	147	513	12	14
KEP 660 - 03	147	628	14	16
KEP 660 - 04	147	741	16	18
KEP 660 - 05	147	854	18	21
KEP 660 - 06	147	967	20	23
KEP 660 - 07	147	1080	22	25
KEP 660 - 08	147	1193	24	28
KEP 660 - 09	147	1306	26	30
KEP 660 - 10	147	1424	28	32
KEP 660 - 11	147	1537	30	35
KEP 660 - 12	147	1650	32	37
KEP 660 - 13	147	1763	34	39
KEP 660 - 14	147	1876	36	41
KEP 660 - 15	147	1989	38	44
KEP 660 - 16	147	2102	40	46
KEP 660 - 17	147	2215	42	48
KEP 660 - 18	147	2328	44	51
KEP 660 - 19	147	2441	46	53
KEP 660 - 20	147	2554	48	55
KEP 660 - 21	147	2667	50	58
KEP 660 - 22	147	2780	52	60
KEP 660 - 24	147	3006	56	64

* G: Available Outlet Size 3" BSP & 4" BSP

* D: With Cable Guard

KEP 660-01 to KEP 660-03 pumps are also available in 4" Joining.

KEP 660-22, KEP 660-24, KEP 660-26, KEP 660-28, KEP 646-35 & KEP 660-30 pumps are also available with & without mounted sleeve in 8" Joining.